

# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: G - GINOCCHIO EN ISO 20347:2022 OB FO**

### **DESCRIPTION :**

PVC work boot for professional use according to EN ISO 20347:2022 OB FO rules

Size range : 37 – 48

Colours: black/black; green/black ; green/honey; white/grey

Height of upper: 38 cm approx.

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable polyester. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

### **MATERIALS :**

Upper: PVC

Sole: PVC

Lining: Polyester

### **PACKAGING :**

8 or 12 pairs in each box

each pair is packed in a HD-PE bag.

user sheet on each pair of boots.



**GNN – black/black**



**GVN – green/black**



**GVP – green/honey**



**GBG – white/grey**

# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: GN - GINOCCHIO EN ISO 20347:2022 OB FO**

### **DESCRIPTION :**

Nitrile PVC work boot for professional use according to EN ISO 20347:2022 OB FO rules

Size range : 37 – 48

Colours: white/grey

Height of upper: 38 cm approx.

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable polyester. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

Suitable for food industry

### **MATERIALS :**

Upper: PVC

Sole: Nitrile PVC

Lining: Polyester

### **PACKAGING :**

8 or 12 pairs in each box

each pair is packed in a HD-PE bag.

user sheet on each pair of boots.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: T - TRONCHETTO EN ISO 20347:2022 OB FO**

### **DESCRIPTION :**

PVC work boot for professional use according to EN ISO 20347:2022 OB FO rules

Size range : 37 – 48

Colours: black/black; green/black ; green/honey; white/grey

Height of upper: 28 cm approx.

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable polyester. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

### **MATERIALS :**

Upper: PVC

Sole: PVC

Lining: Polyester

### **PACKAGING :**

10 pairs in each box

each pair is packed in a HD-PE bag.

user sheet on each pair of boots.



**TNN – black/black**



**TVN – green/black**



**TVP – green/honey**



**TBG – white/gre**

# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: TN - TRONCHETTO EN ISO 20347:2022 OB FO**

### **DESCRIPTION :**

Nitrile PVC work boot for professional use according to EN ISO 20347:2022 OB FO rules

Size range : 37 – 48

Colours: white/grey

Height of upper: 28 cm approx.

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable polyester. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

Suitable for food industry

### **MATERIALS :**

Upper: PVC

Sole: Nitrile PVC

Lining: Polyester

### **PACKAGING :**

10 pairs in each box

each pair is packed in a HD-PE bag.

user sheet on each pair of boots.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **Technical Data Sheet**

### **ARTICLE: FullSafe S5**

### **SAFETY NITRILE PVC BOOT CE EN ISO 20345:2022 + A1 2024 S5 FO SR**

#### DESCRIPTION:

Safety boots with steel toe cap and steel midsole anti perforation plate conform to EN ISO 20345:2022 + A1 2024 S5 FO SR rules

Size range: 38 - 48

Colours: yellow/black; green/black; black/black

Height of Upper: 38 cm approx. adjustable according with requirements

Safety steel toecap: guaranties toe protection at an impact of 200 Joules and compression resistance under a maximum load of 1500daN

The steel midsole ant perforation plate guaranties perforation protection of 1100 N

Special mixture of PVC and nitrile rubber

Both the upper and sole are resistant against mineral oil, hydrocarbons and fat

High flexibility also at low temperatures (minus 20°C )

The sole is anti-static

The lining is 100% washable polyester. It doesn't withhold the humidity

Energy (shock) absorption in the heel

Antistatic sole

Resistance to abrasion

Thicknesses in compliance with standards in the ankle bone area

Anti slip SR

#### PACKAGING

6 pairs in each box

each pair is packed in a HD-PE bag

informative sheet in each pair

#### PERSONALIZATION

Possibility to print customer logo on the boot

Possible extension of the certificate.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **Technical Data Sheet**

### **ARTICLE: FullSafe S4**

### **SAFETY NITRILE PVC BOOT CE EN ISO 20345:2022 + A1 2024 S4 FO SR**

#### **DESCRIPTION:**

Safety boots with steel toe cap conform to EN ISO 20345:2022 + A1 2024 S4 FO SR rules

Size range: 38 - 48

Colours: white/grey

Height of Upper: 38 cm approx. adjustable according with requirements

Safety steel toecap: guaranties toe protection at an impact of 200 Joules and compression resistance under a maximum load of 1500daN

Special mixture of PVC and nitrile rubber

Both the upper and sole are resistant against mineral oil, hydrocarbons and fat

High flexibility also at low temperatures (minus 20°C )

The sole is anti-static

The lining is 100% washable polyester. It doesn't withhold the humidity

Energy (shock) absorption in the heel

Antistatic sole

Resistance to abrasion

Thicknesses in compliance with standards in the ankle bone area

Anti slip SR

#### **PACKAGING**

6 pairs in each box

each pair is packed in a HD-PE bag

informative sheet in each pair

#### **PERSONALIZATION**

Possibility to print customer logo on the boot

Possible extension of the certificate.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864

Tel. +359 887 231710

E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

### **ARTICLE: TWL – WINTER**

#### **DESCRIPTION :**

Boots PVC work boot for professional use according to EN ISO 20347:2022 OB FO CI SR rules

Size range : 37 – 48

Colours: black/black; green/black;

Height of upper: 30 cm approx.

High flexibility also at low temperatures.

Raised ridges under sole.

Slip resistance.

Heel area closed.

#### **MATERIALS :**

Upper: PVC

Sole: PVC

Warm synthetic lining inside + soft collar and lace

#### **PACKAGING :**

10 pairs in each box

each pair is packed in a HD-PE bag.

user sheet on each pair of boots.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864

Tel. +359 887 231710

E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

### **ARTICLE: 55 – HIP WADERS**

#### **DESCRIPTION :**

PVC hip waders made using GINOCCHIO boot for professional use according to EN ISO 20347:2022 OB FO rules (certificate only for GINOCCHIO)

Size range : 37 – 48

Colours: green/black ; green/honey;

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

#### **MATERIALS :**

Upper: PVC

Sole: PVC

Lining: Polyester

#### **PACKAGING :**

5 pairs in each box

each pair is packed in a HD-PE bag.





# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: 55VNS5 – HIP WARDERS S5**

### **DESCRIPTION:**

Hip waders made using Safety boots with steel toe cap and steel midsole anti perforation plate conform to EN ISO 20345:2022 + A1 2024 S5 FO SR rules (certificate only for boot FULLSAFE S5)

Size range: 38- 48

Colours: green/black

Safety steel toecap: guaranties toe protection at an impact of 200 Joules and compression resistance under a maximum load of 1500daN

The steel midsole ant perforation plate guaranties perforation protection of 1100 N

Special mixture of PVC and nitrile rubber

Both the upper and sole are resistant against mineral oil, hydrocarbons and fat

High flexibility also at low temperatures (minus 20°C )

The sole is anti-static

The lining is 100% washable. It doesn't withhold the humidity

Energy (shock) absorption in the heel

Antistatic sole

Resistance to abrasion

Thicknesses of the boot in compliance with standards in the ankle bone area

Anti slip SR

### **PACKAGING**

5 pairs in each box

each pair is packed in a HD-PE bag

# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864

Tel. +359 887 231710

E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

### **ARTICLE: 65 – CHEST WADERS**

#### **DESCRIPTION :**

PVC chest waders made using GINOCCHIO boot for professional use according to EN ISO 20347:2022 OB FO rules (certificate only for GINOCCHIO)

Size range : 37 – 48

Colours: green/black ; green/honey;

High flexibility also at low temperatures.

Raised ridges under sole.

The lining is 100 % washable. It doesn't withhold the humidity.

Slip resistance.

Heel area closed.

#### **MATERIALS :**

Upper: PVC

Sole: PVC

Lining: Polyester

#### **PACKAGING :**

5 pairs in each box

each pair is packed in a HD-PE bag.



# **L.M.C. Trading d.o.o.**

Ul Raya 9  
BG 4003 PLOVDIV  
Bulgaria

VAT: BG 207680864  
Tel. +359 887 231710  
E-mail: [lmc.trading.bg@gmail.com](mailto:lmc.trading.bg@gmail.com)

## **TECHNICAL SHEET**

**ARTICLE: 65VNS5 – CHEST WADERS S5**

### **DESCRIPTION:**

chest waders made using Safety boots with steel toe cap and steel midsole anti perforation plate conform to EN ISO 20345:2022 + A1 2024 S5 FO SR rules (certificate only for boot FULLSAFE S5)

Size range: 38- 48

Colours: green/black

Safety steel toecap: guaranties toe protection at an impact of 200 Joules and compression resistance under a maximum load of 1500daN

The steel midsole ant perforation plate guaranties perforation protection of 1100 N

Special mixture of PVC and nitrile rubber

Both the upper and sole are resistant against mineral oil, hydrocarbons and fat

High flexibility also at low temperatures (minus 20°C )

The sole is anti-static

The lining is 100% washable. It doesn't withhold the humidity

Energy (shock) absorption in the heel

Antistatic sole

Resistance to abrasion

Thicknesses of the boot in compliance with standards in the ankle bone area

Anti slip SR

### **PACKAGING**

5 pairs in each box

each pair is packed in a HD-PE bag